

ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

KLOW BLEND - 80mg

Tested for: Phantom Peptides
<https://phantompeptides.co>

COA #: COA-2026-FX8SL_
Lot Number: KLOWB-01
Labeled Content: 80mg
Vial Size: 3mL

Analysis Date: 06/19/2026
Appearance: Good
Vial Size: 3mL
Date Received: 06/16/2026

Method: Blend Purity & Quant (HPLC)

PASS




Scan to verify
authenticity at ils-lab.com
Access Code: FGRLWZF8

Identity	Peptide Purity	Fentanyl Free
KLOW BLEND	99.93%	


Blend Purity & Quant (HPLC)

Analyte	Specification	Result	Unit	Status
Peptide Purity (HPLC)	>= 95.0%	99.93%	%	PASS
Net Blend Peptide Content	Report Only	84.7	mg	N/A
-- GHK		53.06	mg	
-- BPC-157		10.51	mg	
-- TB-500		10.72	mg	
-- KPV		10.40	mg	
Identity (HPLC-RTM)	GHK + BPC-157 + TB-500 + KPV	Confirmed	-	PASS
Fentanyl Screen	Immunoassay, 50 ng/mL cutoff	Not Detected	-	PASS



KLOW BLEND 80mg - KLOWB-01

HPLC Chromatogram



KLOW BLEND 80mg - KLOWB-01: UV Chromatogram

Notes & Methodology

- Date Tested: 06/19/2026. Methods: Blend Purity & Quant (HPLC).
- The sample was confirmed to be KLOW BLEND by HPLC. Identification by chromatographic retention time comparison with a reference standard.
- Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.
- Per-component content calculated from total net peptide content using the manufacturer's stated formulation ratio (GHK, BPC-157, TB-500, KPV). All components confirmed present by HPLC identity testing, unless explicitly stated otherwise.



Dr. Greg Kalyuzhny

Dr. Greg Kalyuzhny
Lab Director
6/19/2026

COA #: COA-2026-FX8SL_
Access Code: FGRLWZF8
Verify: lab.ils-lab.com
Issued: 6/19/2026